


A house of quality wire mesh, Fencing & Water proofing products...



KAILASH
HARDWARE CORPORATION
Since : 1987

+91 9848194115.

+91 9848198486.

kailashwiring@gmail.com

www.kailash-group.com

27-32-47, 75 Feet Road, Near Ramakrishna Theatre, Visakhapatnam.
Andhra Pradesh - 530 001 (A.P) Ph: 2704626, 2569079.

INTRODUCTION

We Kailash hardware Corporation & Kailash Enterprises are based in Visakhapatnam, Andhra Pradesh, India and looking to supply our products PAN India. We are leading Wholesale Distributor, Bulk stockiest of high-quality Screen Cloth, Wire mesh, Fencing Products, Waterproofing Membrane, Bitumen products, Industrial & Construction Products, F.R.B Sheets, Polycarbonate Sheet, Plastic Sheet, colourcoated Sheet, Acrylic Sheet, Self-drilling Screws Tarpaulin and all type of roofing sheets. Our company was formed way back in the year 1987 and since then, we have never looked back while climbing the ladder of success. The offered products are sourced from selected base of Vendors, who hold a good reputation in the market. Being quality obsessed company, we check the quality of the products under several parameters before they are finally sourced from the Vendors. In this huge industry, our products are known for their corrosion and oxidation resistance durability and all-weather resistance. Our offered wire mesh roofing products are used in construction, transport, mine, sport field, lawn and various industrial fields.

Our company has been able to carry Business in an efficient manner as we are backed by a team of extremely dedicated professionals. These Professionals are highly experienced and thus, can easily understand the exact requirements of the clients and then serve them, as per the same. Further, we work as per the varying requirements of our clients and ensure that all their needs are fulfilled within the decided time.

We are high quality & service obsessed company and believe in giving our clients.


Visit us: Our Website: www.kailash-group.com

Thanking you

Subhas Kedia
9848194115

Rakesh Kedia
98481 98486

Rahul Kedia
9848287732



KAILASH ENTERPRISE

COLOURS COATED SHEET
PP PLASTIC SHEET

POLYCARBONATE SHEETS
TARPAULINE

KAILASH HARDWARE CORPORATION

WIRE MESH
BITUMEN PRODUCTS

FENCING PRODUCTS
MOSQUITO NETS






KHC




WOVEN WIRE MESH

Woven wire mesh is a versatile metal product that is made by weaving wire strands together. It is widely used in various industries, including construction, mining, agriculture, and manufacturing, and is known for its strength and durability. Wire mesh is used for filtering, sieving, fencing, security screens, and insect screening. It can be made from different materials, including **Steel, stainless steel, and brass**, and is available in different sizes and styles.




Product Range

- 1 Mesh to 2300 Mesh
- Opening from 0.002MM (2 Micron) to 22 MM
- Material - SS304, SS316, Brass, Phosphor Bronze, Copper, Monel, Aluminum, Galvanised Iron
- Order Type-Ready Stock. Make to Order



CRIMP WIRE MESH

Crimped wire cloth has very accurate openings and is woven much tighter than plain weave. It is typically preferred for vibrating screens and many other applications is critical such as wire mesh for pig breeding, mine and stone, glass factory, coal mine, petroleum, hardware products, etc




Specification

WIRE	Opening in inch (")
8	.75, to 3.4
10	.5, to 3.4
12	.48, to 2.
14	.37, to 1.5
16	.31, to 1.

Double-Crimp :

This specification is also referred to as "Double Weave", it provides all around performance for medium to heavy wire in relation to screen opening size. Efficient and long wearing in a variety of applications. Accurate & Consistent Square & Rectangular. Opening from 0.31" up to 4" with Wire Rods up to 4mm in Stainless Steel. Spring, High Carbon High Tensile, G.I. & M.S. Wire etc..

VIBRATING SCREEN MESH




Vibrating screen wire mesh is a type of screen that is used for filtering or separating different materials based on their size. It is made from high-quality spring steel (high carbon) material that provides superior strength, durability, and resistance to abrasion. It is commonly used in industries such as mining, quarrying, construction, and others for the efficient screening of various materials.

Specification

It is available in a range of sizes and openings to suit different requirements and can be customized to fit specific dimensions as needed.

PERFORATED SHEETS



We offer a broad range of perforated sheets with round holes in different sizes, materials, and hole patterns to meet our customers' needs. Our high-quality perforated sheets are designed to meet the highest standards of durability and performance.

Perforated sheets can be used for filtration, ventilation, decoration, and many other purposes. The holes can be sized to meet specific requirements and can range from very small to very large. This makes them ideal for a wide range of applications, including air and liquid filtration, noise reduction, and heat dissipation. Moreover, perforated sheets with round holes can be made from a variety of materials, such as stainless steel, aluminum, brass, and mild steel.

Applications

- Fabrication
- Engineering
- Automobiles
- Food
- Agriculture
- Decorative
- Sound Absorption

Thickness

- 0.35MM to 12 MM

Materials

- Mild Steel
- Stainless Steel SS 304
- Galvanised Iron (GI)
- Aluminium
- Brass

Hole shape

- Round
- Square
- Slot
- Hex

Materials

- 1.25 X 2.5 Meter
 - 1.5 X 3 Meter
 - 1 X 2 Meter
- Custom Sizes on Request

Hole diameter

- 0.5mm to 100mm

GI ChainLink Fencing

Whether it is to increase security, define boundaries or enhance your establishment or home, we have the fence for all your business, residential, and commercial locations **KAILASH** can supply the right chain link fences to meet your needs.

Chain link Mesh fencing is the perfect solution where maximum security and protection are required. Because of the very tight spacing of the wire, it is extremely difficult to cut the wire or to get a foothold to on, climb it Mesh is specified for use on high security prison installations, highways and bridges, heavy industries, power plants, and breached.




✓
One thing to keep in mind while ordering the mesh is the quality of the wire used. Galvanized wires with higher thickness of zinc coating ensures longer life, free from corrosion and rust, The zinc coating of the wires range from **25 gsm * to 275 gsm***



Chain link fencing comes in a variety of qualities, and sizes. it can be customised to suit any application.

PVC Coated ChainLink

PVC coated chain link gives you all the strength and durability of a traditional chain link without the commercial look. PVC coated chain link is available in any colour variation to blend with your environmental requirements; the most popular colour being green. It is quickly becoming the first choice for fencing environments where beauty is as important as strength and durable life. The special manufacturing process can produce a coating that is UV resistant as well as attractive and secure for many years.



PVC coated chain link fencing can be manufactured in mesh opening ranging from 3/8" (10 mm opening) to 4" (100 mm opening), though the commonly used for fencing purpose is with 2" (50 mm opening)

and above

Barbed Wire Fencing

One of the most oldest and most common type of easily available security fencing and also most sought after, even this day for all requirements. Barbed wire can be laid directly on the ground, mounted on the top of the fence or in rows as an independent barrier. The barbed wire consists of Barb wires and line wires. The line wire is generally two in number. unless the customer requirement is for three in number. The wire diameter of line wire is larger than the barb wire. One barb wire forms two spikes and two wires form four spikes. The sharpened spikes are protective elements of **BARBED WIRE**.

Since : 1987

Kailash
HARDWARE CORPORATION

- > 120 GSM Zinc Coted
- > High Quality Wire
- > Rust Free
- > Compact packing
12 x 14 8mt par kg

Barbed Wire



Sl. No.	Thickness in SWG	Thickness in mm	Approx. Length per kg	Approx. Weight per kg	Approx. Length per coll
1.	12 swg x 12 swg	2.50 mm x 2.50 mm	20 - 22 ft	40 - 50 kg	800 - 1100 ft
2.	12 swg x 14 swg	2.50 mm x 2.00 mm	28 - 30 ft	40 - 50 kg	1100 - 1450 ft
3.	13 swg x 13 swg	2.30 mm x 2.30 mm	30 - 32 ft	35 - 45 kg	1050 - 1450 ft
4.	14 swg x 14 swg	2.00 mm x 2.00 mm	36 - 38 ft	35 - 45 kg	1200 - 1700 ft

SPECIAL GALVANISED IRON (G.I) WIRES

The most common type of wire used to make Barbed Wires. The anti-rust life of the wire depends on the thickness of the zinc coating on the wire which ranges from **25 gsm* to 275 gsm***. The heavier the coating, the longer the life of the barbed wire.



Concertina Razor Wire Fencing



KAILASH manufactures its concertina razor wire from galvanized high tensile spring steel / stainless steel wires and galvanized iron / stainless steel strips which make them highly resistant against corrosion due to moisture and rain. Ergonomically designed and developed with sharp blades and spring action, concertina fencing is incredibly effective in preventing cutting, intrusion and trespassing. With no secondary usage, they are unlikely to be stolen from your property or place of installation.

Manufactured in coils of various diameters which can be expanded, resulting in a barrier of many circles which curl across each other making intrusion impossible. Concertina fencing is much stronger as it uses high tensile wires which, when cut has a spring action and can trap anyone trying to do so. Our fences are now widely used as the best option for high security fencing.

Concertina Coils are offered in the following Standard sizes as below:

Sl. No.	Diameter of Coil	Approx. Weight Per Coil	Recommended Stretch Per Coil	No. of Circles Per Coil
1.	450 mm	5.50 - 6.00kgs	4.00 - 4.50mtrs	45 - 50
2.	600 mm	7.50 - 8.00kgs	5.50 - 6.00mtrs	45 - 50
3.	750 mm	9.50 - 10.00kgs	7.00 - 7.50mtrs	45 - 50
4.	900 mm	11.00-11.50kgs	8.00 - 8.50mtrs	45 - 50
5.	1050 mm	13.00-13.50kgs	9.50 -10.00mtrs	45 - 50



RBT tapes are usually manufactured in coils of 600 mm dia. with length ranging from 80 - 100 mtrs depending on the clients requirement.



Concertina Razor Barbed Tape

Concertina razor barbed tape (RBT) is the same product manufactured without the clips, and is used in a straight line form. It is generally used in conjunction with the circular concertina fencing to provide support. It is also used instead of barbed wire for better protection.



DURATUFF



Made Of **TATA JINDAL** Wire Road



Manufacturer by
Vikramin Export
info@vikraminexport.com
Http://www.vikraminexport.com

HIGH TENSILE HOT DIP GALVANIZED

100% ZING COATING

HIGH TENSILE HOT DIP



Barbed Wire Product



Chainlink Mesh Product



INTRODUCING GUARANTEE FOR DURATUFF PLATINUM PLUS

The Guarantee will be provided on the galvanized coating on the line wire of Platinum Plus High Tensile Barbed wire for **10 years.**

It applies to the consumer who has originally purchased the Product from an Duratuff authorized Dealer or : Authorized Distributor.



Size : 2.00mm x 2.00mmGSM
Coating : 275 GSM
Quality : Duratuff
PlatinumPlus Weight :15.kg
Length : 200 Mtrs

Under the terms of this guarantee, Duratuff products shall, as a sole remedy, the replacement of wire broken due to red rust that occurred due to galvanized coating failure on line, wire, if said damage occurs within 10 years from the date of purchase.

HIND PLASTIC FELT



ADVANTAGES

- LOW COST
- MAINTENACE FREE
- Easy to Install

1mt x 20mt 1904 - 20 kg
 1mt x 20mt 2104mm-30kg
 1 mt x 20mt 2504 - 40 kg




JALNIDHI APPMEMBRANE

KEY FEATURES

- Superior chemical resistance to alkaline solutions, light acidic solutions and bacteria.
- Superior thermal resistance under a wide range of temperature fluctuation.
- Absolute impermeability to water.
- Outstanding performance at high temperature and good at low temperature.
- Excellent adhesion to any surface.

APPLICATIONS

- Roofing or re-roofing for covered single layer systems, sloped and flat roofs.
- Wet areas, swimming pools and toilets.
- Underground structures.
- Slab on grade.



30kg 1mt x mt x 10mt 2mm
 40kg 1mt x mt x 10mt 3mm
 50kg 1mt x mt x 10mt 4mm



JAIHIND SILVER FOIL PLASTIC FELT



JAIHIND HESSIAN FELT



1. Type - 3, Grade - 1: ISI marked as per IS : 1322/93, in rolls of 20 Metres* 1 Metr Size, Having 46 kg. minimum weight.



BITUMEN PRODUCTS...

- Industrial Blown Bitumen 90/15,85/25.
- Bitumen Primer Conforming to IS : 3384
- Uniplastic" Roofing Compound IS _ 1580/91
- Unibond" C.S Compound
- Aluminium Pant

Flash Band

2" to 6" Size.. 5 to 10mtr Roll



Pipe Coat

AGG BRO "SELF ADHESIVE ANTI CORROSIVE TAPE"



Width of Tape: 25 mm, to 250 mm
 Length of Tape: 5 Mtr, 10 Mtr to 30 Mtr Roll.

AGG BRO Self Adhesive Anti Corrosive Tape is a High Quality pipeline corrosion resistant tape. This tape is specially designed for Long term corrosion protection of MS pipe, GI Pipe, Buried Pipes & Fittings. This tape is basically made from water repellent flexible polymer.

WELDED MESH

Weldmesh is a fence barrier made out of steel wire. It is a grid made of rectangles or squares with the wires running horizontally and vertically welded at intersection. All our welded mesh fencing rolls and sheets are produced with flush edges, manufactured from bright drawn mild steel wires conforming to BIS specifications and electronically welded at each intersection. An ideal material for metal fencing, our welded wire mesh is designed and manufactured to be strong, durable and is able to withstand harsh environments.



Weld Mesh Fence - Benefits Of

Weld mesh fence provides a rigid fence. The versatility of the fence makes it very easy to install which makes use of minimal fencing accessories such as small specially designs clamps and nut & bolts only. Weld mesh fence is an ideal fence for indoor and outdoor use. For additional lateral strength, weld mesh panels can be crimped in 'V' shape. System designs of weld mesh fence are simple enough to the extent that on site fabrication is never required. Cost can be controlled by increasing the mesh size on even side of the wires...

for Low Security Areas

Like schools, garden, weldmesh panels with wide openings can be supplied. These would be made out of 4mm to 5mm wire diameter. For lateral rigidity V -pressing is made on the panels adding to the sheet strength and overall visual aesthetics...





Configuration of WELD MESH fence

Wire Diameter	Mesh Opening	Height*	Length of rolls / panels
1.6 -6.0 mm	8 - 200 mm	750 - 3000 mm	1500 - 30000 mm

* By joining two weld mesh panels, desirable height can be attained.

EXPANDED METAL SHEET



This sheet metal formation is much used in as protection fencing. Available in Mild Steel, Stainless Steel, Aluminium, Galvanized Iron etc.; in width up to 2.5 M. Heavy Expanded sheets are also used for Walk - a -ways or Gratings..

SWM : 1 mm to 75 mm sheet Thickness : 0.3 mm to 3.5 mm & above

3D WELDED MESH

ARE YOU READY FOR THE NEW AGE FENCING?

3D WELD MESH


TATA STEEL GLOBAL WIRES, INDIA

16th Floor, R-Tech Park, Nirlon Complex, Western Express Highway, Goregaon East, Mumbai- 400063.



PRODUCT DETAILS

Available SKUs



SPECIFICATION FOR FENCE PANELS

- Mesh size - 50X200 mm
- Wire diameter - 4.0 mm
- Minimum powder coated - 80 micron as per IS 13871
- Width - 2500 mm | Tolerance: +/- 3%

COLOUR VARIANTS



*Minimum order quantity & additional prices may be applicable

ANTI-CUT, ANTI-CLIMB FENCE BEST EVER ANTI-TRESPASSER WALL

When a farm, factory or any other facility needs an impenetrable fence, the anti-climb weldmesh is the best solution. The mesh is created by unique weld which is visually appealing and provides exceptional security. The anti-climb feature comes with a very small mesh opening or aperture, which makes it difficult for fingers, toes or any kind of tools to get a grip. Yet, the fence is almost a see through because of its finely crafted structure which enhances the security appeal and makes it CCTV friendly.

The intrinsic design of this weldmesh throws a serious challenge to intruders who try to climb or cut the fence.

- COMPLETE IMPENETRABILITY**
Impossible to climb or cut due to small mesh sizes
- SUPERIOR STRENGTH**
Doesn't get deformed easily.
- HIGH DURABILITY**
Dual protection of galvanneal steel and powder coating
- ALL-ROUNDER SOLUTION WITH EASY INSTALLATION**
Can be installed in difficult terrains
- Cost Effective**
Cheaper than constructing a brick wall
- CUSTOMIZABLE**
Wall top options available

APPLICATION



POST ACCESSORIES




FOUNDATION OPTIONS




HOLLOW SECTIONS WITH FOUNDATION OPTIONS OF BASE PLATE AND ANCHOR RODS
*HEIGHT OF THE POST VARIES DEPENDING ON THE HEIGHT OF FENCING AND FOUNDATION OPTION

FENCE POST TYPE	SIZE IN MM	THICKNESS IN MM	WEIGHT PER IN GSM	ZINC COATING IN GSM	POWDER COATING IN MICRON	SIZE AVAILABLE IN MM
RECTANGULAR HOLLOW SECTION	60X40	2	4.31	HD 40-50	80	AVAILABLE IN CUSTOMIZED SIZES

ENGINEERING DRAWING



PRODUCT DETAILS



AVAILABLE SKU HEIGHTS

- 955 mm • 1055 mm

SPECIFICATION FOR FENCE PANELS

- Mesh size - 12.7x76.2mm
- Wire diameter - 4.0mm
- Minimum powder coated - 80 micron as per IS 13871
- Width - 2667mm

ANTICLIMB/ANTICUT POST & ACCESSORIES



Your and durable alterate to timber lattice...

■ Modern lattice fences are ideal for balcony, garden walls or spa pens. such type of fence Looks elegant and offers privacy. These may not totally block the view of your garden. However, the fence looks very exquisite. This type of fence is frequently used in balconies and gardens so vines can climb on the top. it's an excellent choice for people who love the looks of lattice and like a little privacy at the same time...

■ This can also be used for building sun decks or plant boxes, making it unique but it dose provide high level of privacy. Lattice made from vinyl is relatively robust. Likewise, choice of colours will not be a problem...

■ The lattice fencing is great for concealing unpleasing views and makes your home look more attractive. It can also serve as a shade for the outdoor veranda. This is more economical instead of using a roof with all inherent benefits that roofing material provides. Lattice ensures protection against too much sunlight while keeping a good air circulation. This Privacy Lattice is one of the latest offerings in the maket.

- Perfect for adding privacy and shade..
- Moulded in one piece from UK stabilised polypropylene resin for strength and durability...
- Will not rot, crack, split or need painting...
- Quick and easy to install...



AVAILABLE IN VARIOUS COLOURS




SPECIFICATIONS

Sl. No.	Specifications	Privacy Diamond
1.	Slat Width	27
2.	Hole Size	27 x 27
3.	Block-out Factor	75%
4.	Full Sheet Weight	8 kg (approx.)

GRASS CHAIN LINK FENCE

PRIVEZY GRASS WALL



BORDERS OF TERRACE GARDEN
WALL DECOR & FENCE

MARK YOUR
WALLS

1st IN BHARAT
DECOR FENCE



BEFORE



AFTER



PRODUCT FEATURES

A few more reasons to choose the Grass Wall.

- Washable**
Easy to Clean
- Flame Resistant**
Product Material is FLAME resistant
- Easy Installation**
You can apply in minutes without any help
- Security**
Provides a secure place for you
- Aesthetic Look**
Makes the environment more aesthetic by its natural look
- Water Proof**
Grass Wall is water proof
- Privacy**
Make your place more private in minutes
- Natural Look**
It's natural look will give you a cozy mood
- Low Cost**
The most cost efficient product in market
- Strong Material**
It has the Best Quality Material
- UV Protection**
It is UV Treated so it does not fade away Easily
- No Garden Cost**
Apply once and use for years

Roll Wide (Height) 0.60 Mts., 1.00 Mts., 1.20 Mts., 1.50 Mts., 2.00 Mts. Roll Length 10 Meter

TECHNICAL SPECIFICATIONS

PRIVEZY GRASS WALL	
Metal Mesh	Galvanized steel
Grass Fibers	UV-resistant, PVC Grass
Roll Heights	0.6m, 1m, 1.2m, 1.5m and 2m
Roll Lengths	3m, 10m

APPLICATIONS



SWIMMING POOL

PASSAGEWAY

ENTRANCE ARCH

GENERATOR OR ANY EQUIPMENT COVERING


100% VARGIN RAW MATERIAL A Unique Netting Solution

BIRD PROTECTION NET / ANTI BIRD NET ROLL FORM



CONSTRUCTION SAFETY NET FOUR SIDED OUTER ROP : 12 MM


Braided Single Laver Double Layer



BIRD / MONKEY SPIKE

Polycarbonate Bird Spike
12 inch - 250 Pcs / Box


Virgin PVC Spike
3 inch 1000 Pcs / Bag



CRICKET PRACTICE NET BIRD / MONKEY SPIKE

Braided 2.5 mm

HDPE 1.5 mm



HDPE 2 mm



BUBBLE FLOOR PROTECTOR

BUBBLE
FLOOR
PROTECTOR
GUARD
DEALER



BUBBLE FLOOR PROTECTOR

Installation Guide

- Depending on the area of the to be covered, take the bubble guard sheets
- Place the sheets one by one and cover the floor.
- Put the tape on the joints of the sheets so that they tile protector is ready to prevent your expensive flooring from the damages during construction.
- After the work is done remove the tapes.
- Remove the sheets & store them as they are reusable.



Comparison of POP and Goldcoin Bubble Floor Protector

Description	POP	Bubble Floor Protector
Cost	Costly	● Economical
Structure	Powder Form	● Sheet & Roll Foam
Application Time	Lengthy	● Fast & Easy
Readiness of surface after application	Minimum 5 hours	● Immediate & ready to use
Protection after application	Limited floor protection	● Completer floor protection
Durability	Short, One time application	● Long
Skill	Only POP workar can do application	● Do application yourself
Maintenance	Repeated application required for full coverage of floor	● One time application for floor protection
Atmosphere	Give always dusly atmosphere	● Clean working atmosphere
Usages	One time use	● Multiple time use
Removal	Water & Labour required for removal	● Do it yourself
Water Reslstance	No	● Water proof
Handling	Labour required	● Easy to carry / remove

INVISIBLE GRILL

TRUE STRENGTH
FOR YOUR HOME...



QUALITY PROJECT
PROFESSIONAL SERVICE

05 YEARS WARRANTY

INVISIBLE GRILL

Invisible grills are the modern replacement for traditional iron grills. Invisible grills greatly surpass the sturdiness and safety provided by traditional grills

ANTI RUST **UNBLOCKED VIEW** **SAFETY** **ANTI BIRD NET** **NO MAINTENANCE** **Allowed in all Building Premises**

ALUMINIUM T-6063 ALLOY

ALUMINIM TRACK

TRACK

BOLTS WITH NYLON WASHER

SCREW FASNER DOUBLE THREAD

Light Section
COVER CAP
27 MM
2 MM THICKNESS
25 MM

Heavy Section
COVER CAP
32 MM
4 MM THICKNESS
22 MM


COATING
Co polymer Coated (Nylon)
Teflon Coated (Heat Resistant)

Aluminum Section

WIRE ROPE
AVAILABLE IN
2MM, 2.5MM AND 3MM
DIAMETER

LOOKING FOR A
SAFE BALCONY!!..

- ⊕ ALUMINIUM T-6063 ALLOY
- ⊕ SS 304 BOLTS WITH NYLON WASHER
- ⊕ BOLT SPACE : 40MM, 50 MM, 75MM, 100MM
- ⊕ WALL THICKNESS : 1.5MM, 2MM, 3MM



Traditional Grills VS Invisible Grills

INVISIBLE GRILLS

Invisible grills are the modern replacement for traditional iron grills. While invisible grills greatly surpass the sturdiness and safety provided by traditional grills, they are a lot more 'state of the art' and provide a beautiful unblocked view. They are an apex amalgamation of aesthetics and safety.

77
SS 316L - MARINE GRADE
(WITH COATING)

NANO TECHNOLOGY
NYLON COATED

DIAMETER
2MM, 2.5MM, 3MM

TRACK INSTALLATION ACCESSORIES

SLEEVE ANCHOR FASNER HRD SCREW FASNER

WIRE ROPE INSTALLATION ACCESSORIES

STIFFNER FERRULE EYE HOOK ANCHOR FASNER

GRILL INSTALLATION PLIERS

CRIMPING PLIER STIFFNER PLIER WIRE ROPE CUTTING PLIER

⊗	Unblocked View	⊙
⊗	Anti Rust	⊙
⊗	Emergency Escape	⊙
⊗	Fast Installation	⊙
⊗	Aesthetical	⊙
⊗	No Maintenance	⊙
⊙	Feel Of Cage	⊗
⊗	Built-in Alarm System	⊙

Smart Screens

STRENGTH | AESTHETIC | TRENDY



Mosquito Net for Windows



PLEATED MOSQUITO NETS

The pleated mosquito net is an effective mosquito net for windows in order to keep your home or office environment free from insects.



ANTI RUST



ALL TYPES WINDOWS/DOOR



SPACE SAVING



MATCHED BY YOUR SLIDING WINDOW FRAME

CREATE THE IDEAL ENVIRONMENT FOR YOUR FAMILY

MOSQUITO MESH NET



Honey Comb Mesh?

A/C

Washable

Privacy

Partition Door



NO MOSQUITOES
INSECT MESH
You can protect yourself against insects without using harmful chemicals.

Types of Window



Technical Specification

Aluminium Track

2.00mm thickness aluminium alloy T6063
Top & Bottom Height 40.00mm & 22.00mm
30.00mm Width

Pleated Mosquito Nets


Fibre Glass Screens
PP Screens
Polyester Screens
Printed Screens
Chainlink nets

Sizes

16.00mm & 20.00mm

Coating

Powder Coating, Anodizing & Wooden Finish



KAILASH
HARDWARE CORPORATION

PERFECT MOSQUITO SOLUTION FOR YOUR HOME



Mosquito Protection



Provide Visibility



Allows Airflow



Durable

PLEATED SINGLE SLIDER MOSQUITO MESH

SERVICES



Consultation

Our team is always available for consultations. They understand your requirements and help with suggestions based on their wide knowledge. They are well equipped to help you navigate through queries and arrive at solutions.



Site Visit

A visit from our technician can be arranged on request. The experts can do a site survey, make assessments, take measurements in order to give you a customised solution according to your budget.



Manage

A dedicated associate will be assigned to your project and will be in touch with you for all communication. They will help make sure that the project on hand is completed in a smooth and timely manner.



Installation


As soon as the material is delivered, our expert installation team is ready to install without compromising on the quality parameters.

SPECIFICATIONS

- ⊙ Heavy Aluminium Section (1" Track) (2mm Thickness)
- ⊙ Fibre Polyester Net (1.5mm Pleat)
- ⊙ Available 1.5" track or 3" Track (Heavy Wind Conditions)
- ⊙ Powder Coating or Anodizing (60 - 70 Micron Coating)
- ⊙ Virgin Polyester - cord (Non Stretchable Thread)
- ⊙ Centre Opening, Single Handle, Double Handle
- ⊙ Pleated Mesh - Grey, Black
- ⊙ Steel Bearing
- ⊙ Available in Magnetic Section

Magic Net MOSQUITO Door Nets

POLYESTER MAGNETIC DOOR NETS



BLACK

BROWN

GREY

BEIGE

BLACK

BROWN

GREY

BEIGE

200*80	200*85	200*90	200*95	200*100
205*80	205*85	205*90	205*95	205*100
205*80	205*85	205*90	205*95	205*100

DESIGNER MAGNETIC DOOR NETS



FLORAL DESIGN

ASTRANAUT

JACQUARD GREY



LEAF DESIGN



	FLORAL DESIGN	ASTRANAUT	JACQUARD GREY	LEAF DESIGN
200*80	200*85	200*90	200*95	200*100
205*80	205*85	205*90	205*95	205*100
210*80	210*85	210*90	210*95	210*100

Magnetic Protection Solutions:

Magnetic Door & Window Mosquito Nets — shields homes from insects, dust, and discomfort. From Magnetic AC Door Nets to advanced Dust Curtains, our solutions redefine protection with style.



RIBBED

GLITTER PATTERN

PRINTED DESIGN

BUBBLE

TRANSPARENT

	RIBBED	GLITTER PATTERN	PRINTED DESIGN	BUBBLE	TRANSPARENT
200*80	200*90	200*100	200*110	200*120	
205*80	205*90	205*100	205*110	205*120	
210*80	210*90	210*100	210*110	210*120	

SHADE NET

100% Virgin HDPE / UV Stabilized, German Technology - Now in INDIA



Made in ISO 9001:2015 Certified Facility
 Manufactured on German Karl Mayers Machines
 Made from highest quality virgin raw material
 Quality Tested in BIS Certified Labs
 Proven in Field Tests and Applications
 Exported to European, American & South American Markets
 Provided Utility Border to Tie Net



Quality & Customer Service Guaranteed

Product	GSM	SF	Size (Meter)	Bundle Weight (Kgs)	Bundle / Bale
HIPPOCN50™	44	50%	3x50	6.60	10
HIPPOSF50™	60	50%	3x50	9.00	07
HIPPOSF75™	100	75%	3x50	15.00	04
HIPPOSF90™	130	90%	3x50	19.50	03
HIPPOSF95™	160	95%	3x50	24.00	02



HIPPO - SHADE NET

- Ideal for Shading Applications
- Ideal for Plants, Gardening, Farming, Agriculture, Horticulture

Protection from small animals & birds

UV Protection

All weather fabric easy to clean

Allow air flow

Reduce temperature


Brand Label printed for Fabric authenticity

HIPPO-75%

HIPPO 50% HIPPO 75% HIPPO 90%



SAFETY NET



- ### FEATURES
- High - Strength materials
 - Polypropulene or nylon,
 - UV-resistant
 - Weather proof
 - Reinforced edges



Industrial & Construction Products

Hessian Cloth



Geo Textile Cloth



Non Woven Geotextile

- Sustainable Product
- ISO & CE Certified.
- Needle Punched
- 6 Meter width.
- Ranging from 90 Gsm to 1000 GSM

Hdp Ldp Sheet



LDPE SHEET

- AS PER ID : 2508 / 1984
- MICRONS 52,100,125,
- 150,200,250,300,400,
- 500,1000,1500 MAX
- COLOUR BLACK
- OFF WHITE
- TRANSPARENT

Dura 100 HD board



DURABOARD **HD 100**

APPLICATION

- ▶ Used in expansion joint in concrete brick and block work
- ▶ Used in water retaining structures like tanks, swimming pools etc.
- ▶ Suitable for expansion joints in highways, runways etc
- ▶ Used in expansion joints in high rise structures

Sizes
4 feet x 8 feet
1 meter
x 2 meter

Thickness
3mm
upto 100mm

JOINT FILLER BOARD



Industrial & Construction Products


Fibre glass mesh



- 145 gsm 4"to12"x 50mt Roll,
- 45 gsm to 145 gsm 1mt x 50mt Roll.

- 45 gsm to 145 gsm 1mt x 30mt Rolls,.

Iron beam mesh



Chicken wire mesh in plastering



PVC Water Stopper



Sizes:

Thickness - Width 4mm to 6mm
 150mm 16"x25mt 4mm to 6mm
 225mm 9"x 25mt 8mm to 10m
 300mm 12"x25mt

PVC Water Stopper

- Unaffected by low temperature and water immersion.
- Resistant to weather and excellent durability.
- High elasticity and tensile strength.
- Low water absorption.
- Premium quality.

100% Guaranteed and Premium Quality

Garden Hose Pipe

PVC GARDEN PIPE...
 Shape - Round Thickness 1.8 Millimeter (mm) Length 20 Meter



Braided hose pipe



Industrial & Construction Products

Fibre Glass Woven Fabric



:: Compatible ::
compatible with epoxy, vinyl ester,
and polyester resin systems.

Metallic Floor Hardener



Galvanized Road and L Hooks



Anchor fasteners



AGRO GARDEN TOOLS & HAND TOOLS

Shovel Spade



Garden Hoe Spade



Digging Spades



Zincro Tasla/ Ghamella



PVC Ghamella



Crow Bar



Spade 4 Prongs W/o Handle



Kudali Pointed



Garden Hoe 16"



Garden Hoe Pin 16"



Garden Fork 16"



Pick Axe 16"



Garden Trowel



Hand Cultivator 5 Prongs



Baby Shovel



Dust Pan (Mini Shovel / Coal Shovel)



Sledge Hammer without Handle



Stone Breaking Hammer without Handle



Sledge Hammer with Handle



Cross Pein Sledge Hammer with Handle



Ball Pein Hammer Wooden Handle



Cross Pein Hammer Wooden Handle



Claw Hammer Tubular Handle



Claw Hammer with Wooden Handle



Chisel Flat / Pointed





Insulation Products

ROCKWOOL LIGHTLY RESIN BONDED MATTRESSES



Thickness :25- 100 mm
Dimensions :1.22 m (width), 1.64 m (length)
Facing & covering :Galvanized steel or stainless hexagonal wire
Application Fields :netting (mesh) Thermal insulator of high-temperature equipment (boilers, fluid storage tanks, etc) and pipelines upto 750°C As per IS 8183, ASTM C 592 or equivalent.



ROCKWOOL RESIN BONDED SLABS



Thickness :25- 150 mm
Dimensions :1000 mm (width), x 500 mm (length)
Facing & covering :Unfaced, FSK, ALG and BGT
Application Fields :Thermal and acoustic insulation in residential and commercial buildings, as well as industrial applications, especially where fire hour rating (file safety) is required.



ROCKWOOL PIPE SECTIONS



Thickness :25- 100 mm
Dimensions :1/2" - 14" (Nom. Bore)
Facing & covering :Unfaced, FSK, ALG
Application Fields :Thermal insulation of pipe work IS : 9842, ASTM C 547 and equivalent BS - 3948 - 4.



SUPERFINE LOOSE MINERAL & GRANULATED WOOL



Thickness :NA
Dimensions :NA
Facing & covering :NA
Application Fields :Thermal insulation for in-fill around pipe bundles and for brake/clutch pads.



Thickness :40- 100 mm
Dimensions :1.1-1.2 m (width), x 5-10 m (length)
Facing & covering :FSK, ALG and Kraft Paper
Application Fields :Thermal and acoustic insulation of metal buildings (over and under roof purlins, walls), porta-cabins, partition wells, and roofs (false ceiling overlay).



INSULATION TISSUE PEPAR

1 mt to 300 mt Roll



G.I. " U " CHANNELS

Available in Customisadsise



Thick 30 to 100 GSM.